

Index

A

ABC-M8 Chemical Agent Detector paper, 3-4, 3-80-4
 Acquisition Reporting, 5-16
 Admin-Log nets, 2-5
 aerosol generators, 4-9
 Air Stability Category, 3-11, 3-17
 Air Weather Service (AWS), 3-9
 Air-Contaminating Agents-Type A, 3-12
 ANBACIS, 2-5
 Anthrax, A-4
 Area of Operations/Area of Influence (AO/AI), 1-1
 Area Surveillance, 5-6
 Army Training and Evaluation Plan (ARTEP), A-1
 ATP 45/STANAG 2103, 2-1
 Automated Nuclear, Biological and Chemical Information System (ANBACIS), 2-3, 2-6
 Automatic Chemical Agent Alarm (ACAA), 3-1, 5-1
 Automatic Masking, 1-1

B

Bacillus Anthracis, B-0
 Bacteria, B-0
 Battalion Aid Station (BAS), A-11
 BDOs, A-3
 Beginning Morning Nautical Twilight (BMNT), 4-1
 Belt Weather Kit, 3-9
 Biological Agent Sampler (XM2), 5-12, A-3
 Biological Agents, 4-0, 4-5
 Bacteria, 4-0
 Pathogens, 4-0
 Rickettsiae, 4-0
 Toxins, 4-0
 Viruses, 4-0
 Biological Sampling, 5-7
 Biological Vulnerability Analysis, 1-6
 Botulinum Toxin, A-4

C

CAIRA (Chemical Accident/Incident Response and Assistance, 6-0
 Casualty Estimate, 1-4
 CB surveys, 1-6
 CB Threat Status, 1-2
 Chemical Agent Alarm XM21 (RSCHAAL), 3-6
 Chemical Agent Monitor (CAM), 1-4, 3-1, 3-29, 5-1
 Chemical Agent Persistency, 1-5
 Chemical Agents, 3-0
 blister, 3-0
 blood, 3-0
 choking, 3-0

irritants, 3-0
 nerve, 3-0
 psychochemical, 3-0
 chemical defense equipment (CDE), A-1
 Chemical Downwind Hazard Prediction, 3-12
 Chemical Downwind Message (CDM), 1-3, 3-8
 Chemical Hazard Prediction, 3-15, 3-16
 Chemical Hazard Prediction at Sea, 3-21
 Chemical Vulnerability Analysis, 1-4
 CHEMWARN, 2-6, 2-7
 ciprofloxacin antibiotic tablets, A-4
 Cloud Duration, A-14
 Collective Protection Shelters, 1-2
 collective tasks, A-1
 Contamination Avoidance, vi
 Implement Passive Defensive Measures, vi
 Limit exposure, vi
 Locate and Identify, Track and Predict NBC Hazards, vi
 Protection and Decontamination, vi
 Warn and Report, vi
 CONUS Labs, 4-19

D

Decision Support Template (DST), 1-1
 Decontamination Apparatus (DAP), 1-3
 dengue Fever, B-0
 Duration of Agent, 3-12
 Dusty agents, 3-1

E

E-MAP, 2-7
 Eastern Equine Encephalitis, B-0
 ECCM, 1-6
 ECM, 1-6
 encapsulation, 4-1
 EOD teams, A-15
 Epidemic, 4-4
 Evacuation of Biological Samples, 4-19

F

Fire Support Officer (FSO), 1-1
 Flame Field Expedients (FFE), 1-2, 2-7
 Flash procedures, 2-2
 FLOT, 3-0
 FOX, XM93, NBC Reconnaissance System (NBCRS), 3-6, 5-1
 Francisella tularensis, B-6

G

Ground-Contaminating Agents-Type B, 3-12

H

Heavy liquid contamination, 1-5
 Helicopter Operations, 3-29
 Hemorrhagic Fever, B-0
 Host Nation (HN), 6-0, A-15
 Host Nation support, 1-15

I

IMMEDIATE precedence, 2-2
 immunizations, 4-7
 Individual Chemical Agent Detector (ICAD), 3-4
 Intelligence Preparation of the Battlefield, 1-0
 Intelligence Summaries (INSUMs), 1-1
 Intelligence Preparation of the Battlefield (IPB), 1-0

M

M11, A-9
 M13 DAP, A-9
 M256 Chemical Detector Kit, 2-2, 3-1, 3-5, 3-8
 M256A1 Chemical Agent Detector Kit, 3-29
 M272 Water Testing Kit 3-5, 5-1
 M34 Biological Agent Sampling Kit (CBASK), 4-19,
 5-1, 5-12, A-3
 M34 sampling kit, 4-19, 5-1
 M8A1 Chemical Agent Alarm, 3-29, 5-1
 M9 Chemical Agent Detector Paper, 3-5, 5-1
 M93 NBC Reconnaissance Vehicle (FOX), 3-6, 5-1
 maneuver Control System (MCS), 2-5
 Mask only, A-5
 METT-T, 1-7
 Military Police, A-15
 Mission Orientated Protective Posture (MOPP), 2-2, 4-4
 Mission, enemy, terrain, troops, and time available), 1-7
 Mobile Mass Spectrometer (MMI), 3-6
 Moderate liquid contamination, 1-5
 MOPP, 1-2, 1-3, 1-7, 3-0
 MOPP Analysis, 1-3, 1-5, A-1, A-5
 Movement Control Center (MCC), 1-7
 Mustard (HD), 31

N

Named Areas of Interest (NAI), 1-1
 National Command Authority (NCA), 4-19, 5-17
 NAV CDM, 3-22
 Naval Chemical Downwind Hazard Prediction, 3-23
 Naval Detailed Chemical Downwind Hazard Prediction,
 3-23
 Navy Forward Laboratory, 4-19
 NBC 1 Chemical Follow-up Reports, 4-10

NBC 1 report, 2-1, 2-2, 2-4, 4-9

NBC 2 report, 2-3
 NBC 3 report, 2-3, 2-4, 3-19
 NBC 4 report, 2-3
 NBC 5 report, 2-3, 5-5
 NBC 6 report, 2-4, 5-5, 5-6
 NBC contamination marking equipment, 3-6, 5-5, 5-7
 NBC protective covers (NBC-PC), 1-7, A-1
 NBC Reconnaissance System (NBCCRS), A-7
 NBC Warning and Reporting System (NBCWRS), 4-8
 NBCC, 1-8, 2-4, 2-6

Division NBCC, 2-4

NBCWRS, 2-1
 Nerve Agent Pretreatment (NAP), A-1
 Nonpersistent, 3-0

O

Operational Security (OPSEC), 1-6

P

pathogens, 4-8, 4-14
 Point Surveillance, 5-6
 Persistent, 3-0
 persistency of biological agent, 4-3
 Priority Intelligence Requirements (PIR), 1-0

Q

Q Fever, B-0

R

Radiac Equipment (ASGI), 3-6
 Reconnaissance (NBCRS MOUNTED), 5-6
 relative humidity, 4-1
 Remote Sensing Chemical Agent Alarm XM21 (RS), 3-
 Rickettsia spp (Spotted Fevers), B-0
 Rickettsiae, B-0
 Rift Valley fever, B-0
 Rocky Mountain Spotted Fever B-0

S

Salmonella Typhi (Typhoid Fever), B-0
 SALUTE report, 2-2
 Sarin (GB), 3-0, 3-1, 3-24, 3-26
 Simplified hazard Prediction, 3-11
 SITREP report, 2-2
 Smallpox, B-0
 Soman (GD), 3-0, 3-24
 Special Forces Group (SFG), 2-4
 Special Forces Operational Detachments (SFOD) 2-4
 SPOT report, 2-2
 Staff Weather Officer, 3-8
 STANAG 2984, 1-2

Surveys, 5-2
Suspected Biological Report, 4-2

T

Tabun (GA), 3-0
Tactical Considerations, vii
 Enemy, vii
 Mission, vii
 Terrain, vii
 Time, vii
 Training, vii
 Troops, vii
Tactical mobility, 1-7
target Areas of Interest (TAIs), 1-1
Temperature Gradients, 3-10, 4-2
 Neutral, 3-10
 Stable, 3-10
 Unstable, 3-10
TOC, 2-5
Toxicity, B-1
Toxins, 4-0
 cytotoxins, 4-0
 mycotoxins, 4-1
 neurotoxins, 4-0
T-2 toxin, B-1
transient contamination, A-4

U

US Air Force Weather Service (AWS), 3-8

V

vectors, 4-8
Vehicle Orientation System (VOS-25), 3-6
Venezuelan Equine Encephalitis, B-0
Vibrio Cholerae (Cholera), B-0

W

Wind, 4-2
Wind speed effects, 3-1

X

XM21 Remote Alarm, 3-7, 5-6

Y

Yellow Fever, B-0
Yersinia Pestis (Plague), B-0